

Zipper Specifications of PE11PR2

Description		
Material:	Low Density Polyethylene(LDPE)	
Opening and closing Forces:	20 N/m av. ±10%mm and 55 N/m av. ± 10 % mm.	
Features:	Can be made by adding different compounds to desired strength and softness. Soft Seal material with special sealant Suitable for food contact applications.	
Application:	As per need big to small pouches.	

Profile Shape

Profile Dimensions	
Total width (mm)	Weight per meter (gm)
11.0 mm ± 0.2mm	4.5± 0.1

Reel	with Zipper
Length	Gross weight
(Nominal Meter)	(kg)
4000	21.200

Reel Specifications		
Material	ABS	
Transported	Vertically	

Standard delivery	
24 Reels/Pallet	
(96000 meters)	

properties
Zipper material(s): Soft Seal material with special
sealant Suitable for food contact applications.
Sealing temperature range: 93-137 °C

Indication on zipper
Indication sticker for opening/consumer side.

Reel Dimensions	
Flange diameter(mm)	285
Shaft hole diam.(mm)	50
External width(mm)	455

Packing Specifications	
Pallet size (mm)	Length × width × Height 1040 × 1100× 2220

Recommended storage condition

Store indoors with original packaging at 10-40°C,dry and at a relative humidity below 70%

Protect against strong light (sun, electric lighting) and strong heat (radiation, electric heaters)

Disclaimer

This information is accurate to the best knowledge of c k zipper.

The suitability of this material for a particular application must be determined by the end user. C k zipper does not claims for consequential lost. We reserve right to change specification without prior notice.

Email: info@ckzipper.com
Website: www.ckzipper.com